

Voluntary product information based on the format of a safety data sheet for coated, bonded, nonwoven and foam abrasive

1. Identification of the product and the company / undertaking

1.1 Product identifier

Series, name:2824 siaflap fiberdiscGrit range:40 to 120

Reverse side flaps

1.2 Use of product

Recommended use: Coated abrasives on backing for grinding/ sanding of different materials.

1.3 Details of the supplier of the voluntary product information:

Company: sia Abrasives Industries AG

| Address: | Mühlewiesenstrasse 20 | | | | |
|----------|---------------------------|--|--|--|--|
| | CH-8501 Frauenfeld | | | | |
| | Switzerland | | | | |
| F-mail: | mada ah@aia ahraaiyaa aar | | | | |

E-mail: msds.ch@sia-abrasives.com

1.4 Emergency telephone number:

Telefon: (08:00 – 16:00 MESZ): +41 72 724 41 11

2. Hazards identification

2.1. Classification

Not applicable

Abrasives are articles and not dangerous substances or mixtures according to Regulation (EC) N° 1272/2008. See also section 8 and 16.

2.2. Label elements

Abrasives are articles and not dangerous substances or mixtures and therefore no labelling is required according to Regulation (EC) N° 1272/2008.

2.3. Other hazards

Not known.



Product2824 siaflap fiberdiscVersion:1Printing:23.03.2020

Seite 2 von 7

3. Composition/information on ingredients

The product contains the following ingredients which are classified according to Regulation (EC) Nr. 1272/2008 or for which a community occupational exposure limit value exists

| Substances | EC-N° | CAS-N° | REACH Reg. N° | Conc. (%) | Classification acc. to Regulation (EC) N° | |
|------------|----------------|----------------|----------------|-----------|---|-------------------|
| | (if available) | (if available) | (if available) | | 1272/2008 | |
| | | | | | Hazard classes / hazard categories | Hazard statements |

Nothing to declare.

(for full text of H-phrases see section 16)

Remark No PDMS (silicone-oils) present in this product

4. First aid measures

See also section 8 and 16

4.1. Description of first aid measures

Inhalation:

Not possible, due to the form of the product. If dust is inhaled, move person to fresh air. If breathing is difficult, have qualified personnel administer oxygen. Seek medical attention if irritation or other symptoms persist.

Eye contact

Remove contact lenses if present and easy to do so. Flush eyes thoroughly with large amounts of water, holding eyelids open. If irritation persists, seek medical attention.

Skin contact

Wash skin with soap and water. If irritation or other symptoms develop, seek medical attention. sist.

Ingestion

Not likely, due to the form of the product. In the event of, do not induce vomiting. Rinse mouth with water. Seek medical attention if a large amount is swallowed or if you feel unwell..

4.2. Most important symptoms and effects, both acute and delayed

Not known, but dust may cause eye and respiratory irritation. Prolonged inhalation of high concentration of dust may cause adverse effects on the lungs.

4.3. Indication of any immediate medical attention and special treatment needed

Not relevant. Treat symptomatically.

Voluntary Product Information



Product2824 siaflap fiberdiscVersion:1Printing:23.03.2020

Seite 3 von 7

5. Fire fighting measures

5.1. Extinguishing media:

Extinguishing media: water, foam, sand, powder or CO2 as appropriate for surrounding materials.

5.2. Special hazards arising from the product

Toxic fumes may occur. Use respiratory protective equipment.

5.3. Special protective equipment and precautions for fire-fighters

Extinguishing materials should be selected according to the surrounding area.

6. Accidental release measures

Not applicable.

7. Handling and storage

Follow instructions of grinding machine manufacturers and the relevant national regulations. In addition, observe the safety recommendations of the manufacturer.

8. Exposure controls/personal protection

8.1. Control parameters

Before grinding it is recommended to perform a risk assessment and to use personal protection equipment accordingly.

Occupational exposure limit values and/or biological limit values.

Keep exposure to the following components under surveillance. (Observe also the regional official regulations

Abbreviation:

e: inhalable a: respirable / alveolengängig NA: not applicable / nicht zutreffend

EUROPE:

Longterm: The employees average airborne exposure in any 8hour work shift of a 42hour work week which shall not be exceeded. Shortterm: Maximum exposure of four 15min periods per 8 hour shift, with at least 60 minutes between exposure periods

Note: Hazardous dust of the workpiece material may be generated during grinding and/or sanding operations. National regulations for dust exposure limit values have to be taken into consideration.

8.2. Exposure controls

8.2.1. Individual protection measures

Voluntary Product Information



Product23Version:1Printing:23

2824 siaflap fiberdisc 1 23.03.2020

Seite 4 von 7

8.2.1.1. Respiratory protection

Use respiratory protective equipment (type depends on specific application and material being ground)

8.2.1.2. Hand protection

Wear protective gloves (type depends on specific application and material being ground)

8.2.1.3. Eye protection

Wear protective goggles or face shield (type depends on specific application and material being ground)

8.2.1.4. Hearing protection

Use hearing protection (type depends on specific application and material being groun)

8.2.1.5. Body protection

Use protective clothing (type depends on specific application and material being ground)



Product Version: Printing:

1

2824 siaflap fiberdisc 23.03.2020

Seite 5 von 7

9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

| General Physical Formabr prod ENProduct ApperanceSolid abrasive productGrade40-120colorblueodorNo dorOdor ThresholdNot applicablepHNot applicableBoilingpointNot applicableEvaporationrateNot applicableFlammable Limits (LEL)Not applicableFlammable Limits (UEL)Not applicableSolubility in WaterNot applicableSolubility Non WaterNot applicableSolubility Non WaterNot applicablePartition coefficient: n-octanol / waterNot applicablePartition TemperatureNot applicablePartitionNot applicablePartition TemperatureNot applicablePartitionNot applicablePartition TemperatureNot applicable | | | |
|---|--|------------------------|---|
| Grade40-120colorblueodorNo odorOdor ThresholdNot applicablepHNot applicableMeltingpointNot applicableBoilingpointNot applicableFlashpointNot applicableFlashpointNot applicableFlammable Limits (LEL)Not applicableFlammable Limits (UEL)Not applicableSolubility in WaterNot applicableSolubility in WaterNot applicableSolubility Non WaterNot applicablePartition coefficient: n-octanol / waterNot applicableAutoignition TemperatureNot applicableDecomposition TemperatureNot applicable | General Physical Form | abr prod EN | |
| colorblueodorNo odorOdor ThresholdNot applicablepHNot applicableMeltingpointNot applicableBoilingpointNot applicableFlashpointNot applicableEvaporationrateNot applicableFlammable Limits (LEL)Not applicableFlammable Limits (UEL)Not applicableSolubility in WaterNot applicableSolubility no WaterNot applicablePartition coefficient: n-octanol / waterNot applicableAutoignition TemperatureNot applicableDecomposition TemperatureNot applicable | Product Apperance | Solid abrasive product | |
| odorNo odorOdor ThresholdNot applicablepHNot applicableMeltingpointNot applicableBoilingpointNot applicableFlashpointNot applicableEvaporationrateNot applicableFlammable Limits (LEL)Not applicableFlammable Limits (UEL)Not applicableSpecific GravityNot applicableSolubility in WaterNot applicableSolubility Non WaterNot applicablePartition coefficient: n-octanol / waterNot applicableAutoignition TemperatureNot applicableDecomposition TemperatureNot applicable | Grade | 40-120 | |
| Odor ThresholdNot applicablepHNot applicableMeltingpointNot applicableBoilingpointNot applicableFlashpointNot applicableEvaporationrateNot applicableFlammable Limits (LEL)Not applicableFlammable Limits (UEL)Not applicableVapor DensityNot applicableSolubility in WaterNot applicableSolubility Non WaterNot applicablePartition coefficient: n-octanol / waterNot applicableDecomposition TemperatureNot applicableDecomposition TemperatureNot applicable | color | blue | |
| pHNot applicableMeltingpointNot applicableBoilingpointNot applicableFlashpointNot applicableEvaporationrateNot applicableFlammable Limits (LEL)Not applicableFlammable Limits (UEL)Not applicableSpecific GravityNot applicableSolubility in WaterNot applicableSolubility Non WaterNot applicablePartition coefficient: n-octanol / waterNot applicableAutoignition TemperatureNot applicableDecomposition TemperatureNot applicable | odor | No odor | |
| MeltingpointNot applicableBoilingpointNot applicableFlashpointNot applicableEvaporationrateNot applicableFlammable Limits (LEL)Not applicableFlammable Limits (UEL)Not applicableVapor DensityNot applicableSpecific GravityNot applicableSolubility in WaterNot applicableSolubility Non WaterNot applicablePartition coefficient: n-octanol / waterNot applicableAutoignition TemperatureNot applicableDecomposition TemperatureNot applicable | Odor Threshold | Not applicable | |
| BoilingpointNot applicableFlashpointNot applicableEvaporationrateNot applicableFlammable Limits (LEL)Not applicableFlammable Limits (UEL)Not applicableVapor DensityNot applicableSpecific GravityNot applicableSolubility in WaterNot applicableSolubility Non WaterNot applicablePartition coefficient: n-octanol / waterNot applicableAutoignition TemperatureNot applicableDecomposition TemperatureNot applicable | рН | Not applicable | _ |
| FlashpointNot applicableEvaporationrateNot applicableEvaporationrateNot applicableFlammable Limits (LEL)Not applicableFlammable Limits (UEL)Not applicableVapor DensityNot applicableSpecific GravityNot applicableSolubility in WaterNot applicableSolubility Non WaterNot applicablePartition coefficient: n-octanol / waterNot applicableAutoignition TemperatureNot applicableDecomposition TemperatureNot applicable | Meltingpoint | Not applicable | _ |
| EvaporationrateNot applicableFlammable Limits (LEL)Not applicableFlammable Limits (UEL)Not applicableVapor DensityNot applicableSpecific GravityNot applicableSolubility in WaterNot applicableSolubility Non WaterNot applicablePartition coefficient: n-octanol / waterNot applicableAutoignition TemperatureNot applicableDecomposition TemperatureNot applicable | Boilingpoint | Not applicable | _ |
| Flammable Limits (LEL)Not applicableFlammable Limits (UEL)Not applicableVapor DensityNot applicableSpecific GravityNot applicableSolubility in WaterNot applicableSolubility Non WaterNot applicablePartition coefficient: n-octanol / waterNot applicableAutoignition TemperatureNot applicableDecomposition TemperatureNot applicable | Flashpoint | Not applicable | |
| Flammable Limits (UEL)Not applicableVapor DensityNot applicableSpecific GravityNot applicableSolubility in WaterNot applicableSolubility Non WaterNot applicablePartition coefficient: n-octanol / waterNot applicableAutoignition TemperatureNot applicableDecomposition TemperatureNot applicable | Evaporationrate | Not applicable | _ |
| Vapor DensityNot applicableSpecific GravityNot applicableSolubility in WaterNot applicableSolubility Non WaterNot applicablePartition coefficient: n-octanol / waterNot applicableAutoignition TemperatureNot applicableDecomposition TemperatureNot applicable | Flammable Limits (LEL) | Not applicable | _ |
| Specific GravityNot applicableSolubility in WaterNot applicableSolubility Non WaterNot applicablePartition coefficient: n-octanol / waterNot applicableAutoignition TemperatureNot applicableDecomposition TemperatureNot applicable | Flammable Limits (UEL) | Not applicable | |
| Solubility in WaterNot applicableSolubility Non WaterNot applicablePartition coefficient: n-octanol / waterNot applicableAutoignition TemperatureNot applicableDecomposition TemperatureNot applicable | Vapor Density | Not applicable | |
| Solubility Non WaterNot applicablePartition coefficient: n-octanol / waterNot applicableAutoignition TemperatureNot applicableDecomposition TemperatureNot applicable | Specific Gravity | Not applicable | |
| Partition coefficient: n-octanol / water Not applicable Autoignition Temperature Not applicable Decomposition Temperature Not applicable | Solubility in Water | Not applicable | |
| Autoignition Temperature Not applicable Decomposition Temperature Not applicable | Solubility Non Water | Not applicable | _ |
| Decomposition Temperature Not applicable | Partition coefficient: n-octanol / water | Not applicable | |
| | Autoignition Temperature | Not applicable | |
| | Decomposition Temperature | Not applicable | |
| Viscosity Not applicable | Viscosity | Not applicable | |

9.2. Other information

None

10. Stability and reactivity

10.1. Reactivity

Product is stable when handled or stored correctly.

10.2. Chemical stability

No decomposition in normal use.

10.3. Possibility of hazardous reactions

No dangerous reactions known.

10.4. Conditions to avoid

Product is stable when handled or stored correctly.

10.5. Incompatible materials

No dangerous reactions known.

10.6. Hazardous decomposition products

None known. At temperatures exceeding 250° C hazardous or toxic decomposition products may be generated - see section 5.2



Product Version: Printing: 2824 siaflap fiberdisc 1 23.03.2020

Seite 6 von 7

11. Toxicological information

11.1. Information on acute effects of exposure

No toxicological effects if inhaled or swallowed or with eye or skin contact are known. See also section 8.

12. Ecological information

12.1. Toxicity

No effects known.

12.2. Persistence and degradability

No biodegradable potentials known.

12.3. Bioaccumulative potential

No potentials known.

12.4. Mobility in soil

No potentials known.

12.5. Results of PBT and vPvB assessment

Not relevant.

12.6. Other adverse effects

No effects known.

13. Disposal considerations

13.1. Waste treatment methods

Dispose in accordance with all local, state and national regulations. Local regulations may be more stringent than regional and national requirements. It is the responsibility of the waste generator to determine the toxicity and physical characteristics of the material to determine the proper waste identification and disposal in compliance with applicable regulations.

13.1.2. Product

Follow national and regional regulations.

Due to the ingredients and properties disposal as non hazardous waste (2000/532/EC) is possible if no hazardous materials are added to the abrasives. (EWC – Nr. 120121),

Voluntary Product Information



Product Version: Printing:

2824 siaflap fiberdisc 1 23.03.2020

Seite 7 von 7

13.1.3. Packing

Follow national and regional regulations.

14. Transport information

The product is not covered by international regulation on the transport of dangerous goods.

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the product

No specific labelling requirements under respective EC directives.

15.2. Chemical safety assessment

Not relevant.

16. Other information

16.1. Changes to the previous versions

See sections 1 to 16.

16.2. Literature and data sources

REACH Regulation (EC) Nr. 1907/2006 Regulation (EC) N° 1272/2008 Directive 98/24/EC Directive 2000/39/EC Directive 75/324/EEC Decision 2000/532/EC Transport regulations according to ADR, RID und IATA.

16.3. Hazard statements referred to in section 2 and 3

H302 Harmful if swallowed.

According to Regulation (EC) N° 1272/2008

The above information is based on our current standard of knowledge and does not constitute any warranty of conditions of the product and shall be used only as a guide. The information does not form part of any contractual agreement and relates only to the product designated herein and does not relate to its use in combination with any other material or process. It remains the user's responsibility to adhere existing laws and regulations.

Issued by: PT-AC/ENG9-PA4