

# Technical data sheet

9089 siaklett



Status:	Ok
Approval:	17.01.2020

<b>Classification</b>	Public series
Product type:	Coated abrasives
Main industries:	Automotive Building Interior
Further industries:	


<b>Product profile</b>	
Grit type:	
Grit range (total):	
Backing:	
Coating:	
Bonding:	
Special coating:	
Equipment:	

<b>Properties</b>		<b>Technology</b>
Removal rate:		
Lifetime:		
Finishing:		
Flexibility:		
Contact pressure:		

<b>Advantages</b>	
Building Interior:	<ul style="list-style-type: none"><li>- Self-adhesive conversion kit for easy attachment to the tool</li><li>- Conversion allows the use of all siafast products</li><li>- Lossless energy transfer from the tool to the workpiece</li></ul>
Automotive:	<ul style="list-style-type: none"><li>- Self-adhesive conversion kit for easy attachment to the tool</li><li>- Conversion allows the use of all siafast products</li><li>- Lossless energy transfer from the tool to the workpiece</li></ul>

<b>Applications</b>	
Building Interior:	
Automotive:	- Conversion kit for machines without hook and loop system

<b>Material</b>	
Building Interior:	
Automotive:	

<b>Conversion forms</b>	Upper conversion	Lower conversion
	System components	- Profile sanding set - Conversion sets

<b>Application</b>	Superordinate group	Subgroup
Cut:		

<b>Details</b>	
No suitability for:	
Sanding recommendation:	
Safety recommendation:	Observe the current valid safety recommendations at: <a href="http://www.sia-abrasives.com">www.sia-abrasives.com</a> > Expertise > Safety

<b>Communication</b>			
Claim:			
Copy:			
Image material:	Product Top View (PTV)	Front side:	ID
		Rear side:	ID
	Application image	Building Interior:	ID 7261
		Automotive:	ID 6648
	Product show:		
	Macro shot:		
	Packaging image:		
	Product group image:		

- Main application
- Secondary application